

Date of receipt: 07/06/21

Date of issue: 29/06/21

Report consists of 9 test reports.

Defects before testing: None

Sample name: Doga Bistrot

NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

SAMPLE N° 311833

Overall dimensions: 520 x 555 x 830 (h) mm

List of test reports:

- 1. Outdoor furniture General safety requirements EN 581-1:2017
- 2. Information for use EN 581-2:2015, clause 8
- 3. Seat and back static load test EN 1728:2012+AC:2013
- 4. Seat and back fatigue test EN 1728:2012+AC:2013
- 5. Leg forward static load test EN 1728:2012+AC:2013
- 6. Leg sideways static load test EN 1728:2012+AC:2013
- 7. Seat impact test EN 1728:2012+AC:2013
- 8. Stability EN 1022:2005
- 9. Stability EN 1022:2018, clause 7.3



This document is part of a PDF file digitally signed by Franco Bulian on 29/06/21.

The manading director Dr. Franco Bulian e ú



SAMPLE N° 311833

Date of issue:
Sample weight:
Sample name:

29/06/21 Not determined Doga Bistrot



Side view



Rear view





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



TEST REPORT 311833 / 1

	•
Revision:	0
Date of receipt:	07/06/21
Date of test:	11/06/21
Date of issue:	29/06/21



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Outdoor furniture - General safety requirements EN 581-1:2017

E 1	Conoral
Э. I	General:
0.1	ocnora.

Sample name:

Requirement	Observed	Remarks
Edges of seat, back rest and arm rests rounded and chamfered	Yes	None
All other parts: free from burrs, sharp edges and sharp points.	Yes	None
Movable and adjustable parts designed so that injuries and inadvertent operation are avoided	Not present	None
Any load bearing part of forniture not come loose unintentionally	Yes	None
Lubricated parts are protected	Not present	None
5.2 Tubular components:		
Requirement	Observed	Remarks
Absence of tubular components with diameter > 7 mm and < 12 mm with a depth > 10 mm.	Yes	None
Tubulars in contact with the floor are closed. Holes in them are allowed as long as they are < 7 mm or > 12 mm	Yes	None
5.3 Shear and squeeze points:		
Requirement	Observed	Remarks
Shear and squeeze points that are created only during adjusting and folding away are acceptable if the user has the control of his/her movements.	Not present	None
Absence of shear and squeeze points, created by parts operated by powered mechanism.	Not present	None
Absence of shear and squeeze points, created by loads applied during normal use.	Yes	None
Conformity to requirements of clause 5 of standard EN	581-1:2017:	YES

This test report is part of a PDF file digitally signed by Franco Bulian

on 29/06/21.

The managing director Dr. Franco Bulian n ei SUC 0



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



TEST REPORT 311833 / 2

0110007	-
Revision:	0
Date of receipt:	07/06/21
Date of test:	29/06/21
Date of issue:	29/06/21

Sample name:



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Information for use EN 581-2:2015, clause 8

Information for use EN 581-2:2015, clause 8

	General,	clause	7.1
--	----------	--------	-----

Statement checked	Remarks
Shall be provided in the language of the country where the chairs are sold.	Italian language
Shall be headed "IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY" in letters no less than 5 mm high.	Present

This instructions shall include at least the following:

Statement checked	Remarks
a) Name and address of the producer (manufacturer or supplier).	Present
b) Conditions for use of the product (camping, domestic or contract)	Present
c) Assembly instructions	Not applicable
d) Instructions for the care and maintenance.	Present
e) If the seating is fitted with seat height adjustments with energy accumulators, an additional note is required pointing out that only trained personnel may replace or repair seat height adjustment components with energy accumulators.	Not applicable

Statement checked	Remarks Not applicable	
All mobile loungers not intended to be lifted and moved under load shall be marked with a pictogram.		
Conformity to clause 8 of standard of EN 581-2:2015:	YES	

This test report is part of a PDF file digitally signed by Franco Bulian

on 29/06/21.

The managing director Dr. Franco Bulian



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



TEST REPORT 311833 / 3

•••••••	-
Revision:	0
Date of receipt:	07/06/21
Date of test:	14/06/21
Date of issue:	29/06/21
Sample name:	Doga Bis



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.000	500	10 x 10 s	No defects
2.000	500	1 x 30 min	No defects

Note:

According to EN 1728:2012+AC:2013, back force has been reduced from 560 N to 500 N to avoid tipping.

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This test report is part of a PDF file digitally signed by Franco Bulian

on 29/06/21.

The managing director Dr. Franco Bulian



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



TEST REPORT 311833 / 4

Revision:	0
Date of receipt:	07/06/21
Date of test:	21/06/21
Date of issue:	29/06/21
Sample name:	Doga Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

Seat force	Back force	Number	Remarks
N	N	of cycles	
1.000	310	50.000	No defects

Note:

According to EN 1728:2012+AC:2013, back force has been reduced from 333 N to 310 N to avoid tipping.

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This test report is part of a PDF file digitally signed by Franco Bulian

on 29/06/21.

The managing director Dr. Franco Bulian e 0



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



TEST REPORT 311833 / 5

0110007	U
Revision:	0
Date of receipt:	07/06/21
Date of test:	28/06/21
Date of issue:	29/06/21
Sample name:	Doga Bis



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This test report is part of a PDF file digitally signed by Franco Bulian

on 29/06/21.

The managing director Dr. Franco Bulian e 0



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



TEST REPORT 311833 / 6

Revision:	0
Date of receipt:	07/06/21
Date of test:	28/06/21
Date of issue:	29/06/21
Sample name:	Doga Bis



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
300	1.000	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This test report is part of a PDF file digitally signed by Franco Bulian

on 29/06/21.

The managing director Dr. Franco Bulian e 0



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

TEST REPORT 311833 / 7

Revision:	0
Date of receipt:	07/06/21
Date of test:	28/06/21
Date of issue:	29/06/21
Sample name:	Doga Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	point A	10	No defects
25	240	100 mm from the front seat edge	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This test report is part of a PDF file digitally signed by Franco Bulian

on 29/06/21.

The managing director Dr. Franco Bulian e 0



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



TEST REPORT 311833 / 8

	-
Revision:	0
Date of receipt:	07/06/21
Date of test:	29/06/21
Date of issue:	29/06/21
Sample name:	Doga Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 162 N

162 N /	does not overturn
	does not overturn
	does not overturn
1	
/	
/	
20 N	does not overturn
	/

This test report is part of a PDF file digitally signed by Franco Bulian on 29/06/21.

The managing director Dr. Franco Bulian n ei 0 SUC



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

TEST REPORT 311833 / 9

••••••	
Revision:	0
Date of receipt:	07/06/21
Date of test:	29/06/21
Date of issue:	29/06/21
Sample name:	Doga Bistrot



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Stability EN 1022:2018, clause 7.3

Type of chair: fixed geometry Positioning of chair components: as specified in Table 1 of EN 1022:2018 Loads and masses according to table B1 of EN 1022:2018, annex B Forwards overturning Forwards overturning, clause 7.3.1 does not overturn 1 Forwards overturning for seating with foot rest, clause 7.3.2 : 1 Corner stability, clause 7.3.3 does not overturn Sideways overturning Sideways overturning, all seating without arm rests, clause 7.3.4 : does not overturn Seating with arm rests, clause 7.3.5.2 : 1 Seating with raised side edges, clause 7.3.5.3 1 **Rearwards overturning** Rearwards overturning all seating with back rests, clause 7.3.6 Minimum force required: 162 N does not overturn 1 Tilting seating, clause 7.4.2 Reclining seating with leg rest, clause 7.4.3 Reclining seating without leg rest, clause 7.4.4 Rearwards stability test for rocking chairs, clause 7.4.5 : 1

The test results comply with the requirements in clause 7.2 of EN 1022:2018.

This test report is part of a PDF file digitally signed by Franco Bulian

nei 0

The managing director Dr. Franco Bulian

on 29/06/21