

Date received: 25/02/20

Date of issue: 11/05/20

Report consists of 10 test reports.

Defects before testing: None

Sample name: FOLIO

NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

SAMPLE N° 287791

Overall dimensions: 720 x 800 x 1130 (h) mm

List of test reports:

- 1. Outdoor furniture General safety requirements EN 581-1:2017
- 2. Information for use EN 581-2:2015, clause 8
- 3. Seat and back static load test for reclining chairs EN 1728:2012+AC:2013
- 4. Seat and back fatigue test for reclining chairs EN 1728:2012+AC:2013
- 5. Arm downwards static load test EN1728:2012+AC:2013
- 6. Arm fatigue test EN 1728:2012+AC:2013
- 7. Leg forward static load test EN 1728:2012+AC:2013
- 8. Leg sideways static load test EN 1728:2012+AC:2013
- 9. Seat impact test EN 1728:2012+AC:2013
- 10. Stability EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon



SAMPLE N° 287791

Date of issue: Sample weight: Sample name:

11/05/20 Not determined FOLIO



Side view



Rear view



Bottom view



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT		
287791 / 1		
Revision:	0	
Date received:	25/02/20	
Date of test:	10/03/20	
Date of issue:	11/05/20	
Sample name:	FOLIO	



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Outdoor furniture - General safety requirements EN 581-1:2017

Requirement	Observed	Remarks		
Edges of seat, back rest and arm rests rounded and chamfered	Yes	None		
All other parts: free from burrs, sharp edges and sharp points.	Yes	None		
Movable and adjustable parts designed so that injuries and inadvertent operation are avoided	Not present	None		
Any load bearing part of forniture not come loose unintentionally	Yes	None		
Lubricated parts are protected	Not present	None		
5.2 Tubular components:				
Requirement	Observed	Remarks		
Absence of tubular components with diameter > 7 mm and < 12 mm with a depth > 10 mm.	Yes	None		
Tubulars in contact with the floor are closed. Holes in them are allowed as long as they are < 7 mm or > 12 mm	Yes	None		
5.3 Shear and squeeze points:				
Requirement	Observed	Remarks		
Shear and squeeze points that are created only during adjusting and folding away are acceptable if the user has the control of his/her movements.	Not present	None		
Absence of shear and squeeze points, created by parts operated by powered mechanism.	Not present	None		
Absence of shear and squeeze points, created by loads applied during normal use.	Yes	None		
Conformity to requirements of clause 5 of standard EN	YES			

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.





Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT		
287791 / 2		
Revision:	0	
Date received:	25/02/20	
Date of test:	11/05/20	
Date of issue:	11/05/20	
Sample name:	FOLIO	



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Information for use EN 581-2:2015, clause 8

Information for use EN 581-2:2015, clause 8

General, clause 7.1

Statement checked	Remarks
Shall be provided in the language of the country where the chairs are sold.	Italian and English language
Shall be headed "IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY" in letters no less than 5 mm high.	Present

This instructions shall include at least the following:

Statement checked	Remarks
a) Name and address of the producer (manufacturer or supplier).	Present
b) Conditions for use of the product (camping, domestic or contract)	Present
c) Assembly instructions	Not applicable
d) Instructions for the care and maintenance.	Present
e) If the seating is fitted with seat height adjustments with energy accumulators, an additional note is required pointing out that only trained personnel may replace or repair seat height adjustment components with energy accumulators.	Not applicable

 Marking for mobile loungers, clause 8.2

 Statement checked
 Remarks

 All mobile loungers not intended to be lifted and moved under load shall be marked with a pictogram.
 Not applicable

Conformity to clause 8 of standard of EN 581-2:2015:

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon ма Dr.

The sample name and, when relevant its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

YES



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT		
287791 / 3		
Revision:	0	
Date received:	25/02/20	
Date of test:	11/03/20	
Date of issue:	11/05/20	
Sample name:	FOLIO	



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat and back static load test for reclining chairs EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back static load test for reclining chair clause 6.4, EN 1728:2012+AC:2013

Inclination of the back rest measured: 57°

Test results:

Seat load N	Back force N	Back rest position	Number of cycles	Remarks
2.000	560	vertical	5	No defects
1.670	850	reclined	5	No defects

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andréa Clavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT			
287791 / 4			
Revision:	0		
Date received:	25/02/20		
Date of test:	11/03/20		
Date of issue:	11/05/20		
Sample name:	FOLIO		



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat and back fatigue test for reclining chairs EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back fatigue test for reclining chairs clause 6.17, EN 1728:2012+AC:2013

Inclination of the back rest measured: 57°

Test results:

Seat force N	Back force N	Back rest position	Number of cycles	Remarks
1.000	333	Vertical	25.000	No defects
840	430	Reclined	25.000	No defects

Total cycles carried out: 50.000

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

lanaging Director Dr Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT			
287791 / 5			
Revision:	0		
Date received:	25/02/20		
Date of test:	16/03/20		
Date of issue:	11/05/20		
Sample name:	FOLIO		



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Arm downwards static load test EN1728:2012+AC:2013

Test performed according to EN 581-2:2015

Arm downwards static load test clause 6.11, EN 1728:2012+AC:2013

Test results:

Vertical force N N Vumber of applications		Remarks	
900	10	No defects	

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.





Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT					
287791 / 6					
Revision:	0				
Date received:	25/02/20				
Date of test:	16/03/20				
Date of issue:	11/05/20				
Sample name: FOLIO					



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Arm fatigue test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Arm fatigue test clause 6.20, EN 1728:2012+AC:2013

Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

aging Director Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT						
287791 / 7						
Revision:	0					
Date received:	25/02/20					
Date of test:	24/03/20					
Date of issue:	11/05/20					
Sample name:	FOLIO					



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

lanaging Director Andrea Giavon D



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TE	TEST REPORT					
287791 / 8						
Revision:		0				
Date receiv	ed:	25/02/20				
Date of test	:	24/03/20				
Date of issu	ie:	11/05/20				
Sample nar	ne:	FOLIO				



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
300 1.000		10	No defects

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anaging Director r. Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT					
287791 / 9					
Revision:	0				
Date received:	25/02/20				
Date of test:	24/03/20				
Date of issue:	11/05/20				
Sample name: FOLIO					



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	of drop point		Remarks	
25 240 point A		10	No defects		
25	25 240 100 mm from the front seat edge		10	No defects	

Note:

The test results comply with the requirements in clause 7.2.2 of EN 581-2:2015, contract level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon b



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT						
287791 / 10						
Revision:	0					
Date received:	25/02/20					
Date of test:	24/03/20					
Date of issue:	11/05/20					
Sample name: FOLI						



NARDI S.P.A. VIA DELLE STANGA' 14 36072 CHIAMPO (VI) ITALIA

Stability - EN 1022:2005

Type of chair: reclining

Minimum horizontal force for rearwards overturning of fixed back chair: 182 N

Forwards overturning Horizontal force	:	20 N	does not overturn
Rearwards overturning			
Fixed back chair			
Horizontal force	:	182 N	does not overturn
Tilting chair in the rearmost position			
Loading discs on the seat	:	11	does not overturn
Sideways overturning for chairs with arms			
Horizontal force	:	20 N	does not overturn
Sideways overturning for chairs without arms			
Horizontal force	:	/	
Forwards overturning for chairs with footrest			
Horizontal force	:	/	

The test result complies with the requirements of EN 1022:2005

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

lanaging Director r. Andrea Giavon