


Gravity Range:



Gravity Cloud (WFCL02)



Gravity Steel (WFST02)



Gravity Slate (WFSL02)




Gravity Navy (WFNA02)



Gravity Denim (WFDE02)



Gravity Mocha (WFMO02)



Gravity Teal (WFTE02)

Specifications

Collection(s)	Contract Card Gravity, Gladiator 3
Colour(s)	Apple, Brick, Chocolate, Cloud, Denim, Driftwood, Forest, Ice, Mocha, Navy, Onyx, Petal, Pomegranate, Sand, Scarlet, Slate, Steel, Teal
Warwick Brand	-
Usage	Heavy Commercial
Composition	93% Polyester 5% Cotton 2% Nylon
Pattern match	No
Pattern repeat (cm)	Plain
Railroaded	Plain**
Width (cm)	140
Weight (gsm)	400
Origin	Non EU
Stain Repellent	No
FIAA Care Label*	3

*Please refer to Warwick Price List or Website www.warwick.com.au

**Fabrics marked Railroaded 'Plain' can be cut in either direction at the discretion of the manufacturer, and in consultation with the customer's preference. Fabric is sampled in the direction it comes up the roll (Non Railroaded).

Test Results

Abrasion Martindale (ISO 12947, 12kPa)	72,000 Cycles
Seam slippage (mm) (ISO 13936-2, Load 180)	Warp 2.1, Weft 3
Pilling resistance (ISO 12945-2)	5
Colourfastness to light Xenon arc (ISO 105-B02, blue std 6)	>6
Colourfastness to rubbing (ISO 105-X12)	Dry 5, Wet 5
Free and Hydrolysed formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.3-1999	
Ignitability (0 - 20)	10
Spread of flame (0 - 10)	0
Heat evolved (0 - 10)	3
Smoke developed (0 - 10)	5



COMMERCIAL TEXTILE ASSOCIATION
OF AUSTRALIA & NEW ZEALAND
LIMITED



Tested for harmful substances
according to Oeko-Tex Standard 100
HKC 23567 TESTEX
13.HCN.35063 HOHENS



WARWICK

Care Label 3 – Non Pile Fabrics

Regular care (weekly)

- Vacuum regularly using low suction
- Rotate reversible cushions regularly
- Protect from direct sunlight

Cleaning

Do not remove cushion covers for separate cleaning or washing, even though they may have zippers. Shampoo clean using upholstery shampoo. Do not use dishwashing or laundry detergents. Do not wet filling. Do not scrub with a stiff brush. Dry in shade away from direct heat. Allow to dry thoroughly before re-use; or

Clean with hot-water extraction machine (hot). Professional cleaning recommended. Use only upholstery detergent. Do not wet filling. Dry in shade away from direct heat. Allow to dry thoroughly before re-use.

Spot cleaning

Treat spills and stains as soon as possible. Gently scrape any soil or mop any liquid from the surface of the fabric. Apply proprietary cleaning agents strictly according to instructions to remove the residue of the spill. Do not saturate the fabric or interior with water or other cleaning liquids. May be spot cleaned with dry cleaning solvent.

Annual professional cleaning recommended.

Soil resist treatments

Apply only water-based soil resist (fabric protector) treatments.

Pilling

Can occur occasionally as a result of normal daily wear and should not be considered as a fault. Fibre pills can be removed by a battery operated pilling tool available from most haberdashery stores.

For more information visit www.warwick.com.au