


Regis Range:



Regis Charcoal (WFCH04)



Regis Navy (WFNA04)

REGIS

Specifications

Collection(s)	Gladiator 3, Regis
Colour(s)	Birch, Bone, Cascade, Celery, Charcoal, Chocolate, Cobblestone, Driftwood, Evergreen, Ginger, Glacier, Gold, Lagoon, Lemongrass, Navy, Oatmeal, Ocean, Olive, Pumice, Rosewater, Rust, Scarlet, Shadow, Smoke, Storm, Sunshine, Taupe
Warwick Brand	Halo
Usage	Heavy Commercial
Composition	100% Polyester
Pattern match	No
Pattern repeat (cm)	Plain
Railroaded	No
Width (cm)	140
Weight (gsm)	320
Origin	Non EU
Stain Repellent	No
FIAA Care Label*	1

*Please refer to Warwick Price List or Website www.warwick.com.au

Test Results

Abrasion Martindale (ISO 12947, 12kPa)	102,000 Cycles
Seam slippage (mm) (ISO 13936-2, Load 180)	Warp 2, Weft 1
Pilling resistance (ISO 12945-2)	5
Colourfastness to light Xenon arc (ISO 105-B02, blue std 6)	5/6
Colourfastness to rubbing (ISO 105-X12)	Dry 4/5, Wet 4/5
Free and Hydrolysed formaldehyde (ISO 14184-1:1998)	Not Detectable
Flammability AS/NZS 1530.3-1999	
Ignitability (0 - 20)	9
Spread of flame (0 - 10)	0
Heat evolved (0 - 10)	1
Smoke developed (0 - 10)	4



COMMERCIAL TEXTILE ASSOCIATION
OF AUSTRALIA & NEW ZEALAND
LIMITED



Tested for harmful substances
according to Oeko-Tex Standard 100
HKC 23567 TESTEX
SHKO 062667 TESTEX



WARWICK

Care Label 1 – Pile Fabrics

Velvets and Chenille Wovens

Regular care (weekly)

- Vacuum regularly using low suction
- Rotate reversible cushions regularly
- Protect from direct sunlight

Cleaning

Do not remove cushion covers for separate cleaning or washing, even though they may have zippers. Shampoo clean using upholstery shampoo. Do not use dishwashing or laundry detergents. Do not wet filling. Do not scrub with a stiff brush. Gently vacuum to restore pile. Dry in shade away from direct heat. Allow to dry thoroughly before re-use; or

Clean with hot-water extraction machine (hot). Professional cleaning recommended. Use only upholstery detergent. Do not wet filling. Gently vacuum to restore pile. Dry in shade away from direct heat. Allow to dry thoroughly before re-use.

Spot cleaning

Treat spills and stains as soon as possible. Gently scrape any soil or mop any liquid from the surface of the fabric, apply proprietary cleaning agents strictly according to instructions to remove the residue of the spill. Do not saturate the fabric or interior with water or other cleaning liquids. May be spot cleaned with dry cleaning solvent.

Annual professional cleaning recommended

Soil resist treatments

Apply only water-based soil resist (fabric protector) treatments

Pilling

Can occur occasionally as a result of normal daily wear and should not be considered as a fault. Fibre pills can be removed by a battery operated pilling tool available from most haberdashery stores

Shading

Orientation of pile fibres will be disrupted when sat upon, resulting in an apparently different shade on contact areas. This disruption of the pile fibres and consequent apparent colour change are inherent characteristics and should not be considered as defects.

For more information visit www.warwick.com.au